

ECO-DRAIN (LIQUID)

DRAIN MAINTAINER

SPECIFICATIONS

Description	green color liquid
Fragrance	Citrus
Packaging	1L, 4L and 20L pails
pH	6.0 - 8.5
Temperature Range	10° - 63°C (50° - 145°F)
Nutrient Content	Biological nutrients and surfactants
Bacteria Count	79 million cfu/ml
Storage and Handling	DO NOT FREEZE! Store in a cool dry location. Do not inhale mists. Avoid excessive skin contact. See MSDS.



APPLICATION INSTRUCTIONS

Grease Traps – For less than 2 meters³ capacity, add 250 ml of product daily by pouring in a sink or pipeline closest to the trap. This should be done at night or when the traps are used the least. After adding, flush down with a cup of lukewarm water.

For grease traps larger than 2 meters³, add 500 ml daily using the same procedure.

Drain lines and down pipes – Use product a minimum of twice weekly to a maximum of 4 times depending on the usage of the building. Add product in amounts listed below by pouring directly into the drainpipe starting on the lowest floor and working up at a rate of one floor each day. Do not treat same floor twice. When the top floor is reached, continue treating from the top floor only.

Pipe Size	Dosage	Frequency
50 mm	100 ml	twice/ week
100 mm	200 ml	twice/ week
150 mm	300 ml	twice/ week
200 mm	400 ml	twice/ week

DO NOT add ECO-DRAIN LIQUID directly to grease traps; this practice is prohibited in most municipalities.

For further information on application, contact your BIONETIX technical representative.

The information presented in this Product Sheet is believed to be reliable. This information is provided as representative only and there are no warranties, expressed or implied, regarding its performance. Since neither distributor nor manufacturer has any control over handling, storage, use and application conditions, they are not responsible for any claims, liabilities, damages, costs or expenses of any kind arising out of or in any way connected with the handling, storage or use of the product described.

ECO-DRAIN LIQUID IS PACKAGED AND FORMULATED FOR THE TREATMENT

of drain lines and down lines in restaurants and commercial establishments.

ECO-DRAIN contains combined aerobic and anaerobic microorganisms, capable of biodegrading oil, grease and a variety of organic materials in the toughest conditions possible.

BENEFITS OF USE

- Keeps drains and pipelines clean;
- Reduces grease accumulation;
- Reduces canalizing maintenance cost;
- Saves on line jetting;
- Reduces odors.