# ECO-TRAP (LIQUID)
## GREASE TRAP TREATMENT LIQUID

## SPECIFICATIONS

| | |
|---|---|
| Description | Blue liquid |
| Packaging | 2L, 20L and 205L |
| Stability | Up to 24 months |
| pH | Neutral |
| Nutrient Content | Biological nutrients and stimulants |
| Bacteria Count | 75 million/ml |
| Storage and Handling | DO NOT FREEZE! Store in a cool dry location. Do not inhale mists. Avoid excessive skin contact. See MSDS. |

## APPLICATION INSTRUCTIONS

| Grease Trap Size | Initial Dosage | Maintenance |
|---|---|---|
| From 50 to 250 gallons | 500 ml | 350 to 500 ml per day |
| From 250 to 500 gallons | 1L | 500 to 650 ml per day |

Add ECO-TRAP directly to grease trap. Inject ECO-TRAP with the aid of a pump of the same kind that is used for the dishwasher in a restaurant. ECO-TRAP is more effective when it is injected at the end of the daily activities of the restaurant. The bacteria in ECO-TRAP will therefore have more time to biodegrade the oils, grease, and other organic materials that accumulate in the trap.

To obtain optimal performance, it is recommended to clean out the grease trap before the initial dosage of ECO-TRAP. Results will be obtained within four to eight weeks of the initial dosage.

For a trap of more than 500 gallons, it is recommended to consult your Bionetix representative.

CONTAINS SPECIALTY PENETRANTS AND SURFACTANTS THAT LOOSEN AND LIQUEFY HEAVY GREASE DEPOSITS, THEREBY AIDING THEIR DEGRADATION.

### ECO-TRAP LIQUID ADVANTAGES
- Reduces oil and fat accumulation;
- Prevents emergency blockages;
- Reduces scum build-ups;
- Improves pipe drainage;
- Reduces BOD;
- Reduces bad odors.

**Bionetix**
INTERNATIONAL

*We work for nature*

Bionetix International
21 040 rue Daoust, Ste-Anne-de-Bellevue, Quebec, Canada  H9X 4C7
T 514 457.2914     F 514 457.3589     www.bionetix-international.com