

POULTRY-FEED™

Direct-Fed Microbial Supplement For Poultry

POULTRY-FEED™ is a direct-fed microbial supplement formulated to support digestive efficiency, intestinal balance, and nutrient utilization in poultry. It contains a balanced combination of viable microbial cultures and functional fermentation-derived components selected to support a stable gastrointestinal environment.

POULTRY-FEED™ is designed for incorporation into poultry feeding programs where consistent digestive performance, feed utilization, intestinal health, and microbial balance are important. The product may be incorporated into complete feeds or dry premixes for use during different production stages and periods of dietary or environmental stress.

Features & Benefits

- Supports digestive efficiency and nutrient utilization
- Helps maintain balanced microbial populations in the gastrointestinal tract
- Supports normal intestinal development and gut integrity
- Promotes a stable digestive environment during production stress
- Supports normal immune function and overall intestinal health
- Helps maintain consistent feed utilization and animal performance
- Suitable for incorporation into complete-feed and dry premix formulations

Specifications

Color & Appearance	Beige powder
pH	5.0–7.0
Total Microbial Count	1×10^{10} CFU/g
Shelf Life	2 years

Storage

Store in a cool, dry location. Keep containers tightly closed, before and after opening, to prevent moisture absorption and exposure to direct sunlight. Please follow the recommendations and use the product before the best before date. Contact Bionetix® with questions. Avoid inhalation, eye contact, and prolonged skin contact. Wash hands thoroughly after handling.



Typical Applications

- Broiler starter, grower, and finisher feeding programs
- Layer and breeder feeding programs
- Commercial poultry feed manufacturing
- Complete-feed and dry premix formulations
- Feeding programs focused on digestive efficiency and intestinal balance
- Poultry exposed to dietary changes or environmental stress
- Production programs requiring consistent feed utilization and gut-health support

Directions for Use

Recommended inclusion rates:

- Starter diets: 1 kg per metric ton of complete feed
- Grower diets: 0.5 kg per metric ton of complete feed
- Finisher diets: 0.5 kg per metric ton of complete feed

Ensure uniform distribution throughout the feed. Avoid exposure to excessive moisture and extreme processing temperatures.

For layer, breeder, turkey, duck, or other poultry feeding programs, use according to the approved product label and current Bionetix® technical guidance.

Contact your Bionetix® representative for formulation assistance and application guidance.